

Technical Data Sheet

Total



763-582-1140

800-966-2909

www.seacole.com

13505 Industrial Park Blvd.
Plymouth, MN 55441

Total

Light / Medium-Duty Liquid Floor Cleaner

Product Description

Total is an aluminum safe, high pH, multipurpose cleaner engineered to attack grease, grime, soil or any other unwanted contaminants associated with floor cleaning. Total is a non-hazardous, environmentally safe green product.

Performance Features

- Biodegradable And Environmentally Green
- Contains NO Harmful Glycol Ethers, Phosphates, HAP's, Or VOC's
- Will Not Attack Paint or Rubber Seals
- Super Concentrated Formula For Low Volume Usage And Low Cost

Physical Specifications

Physical State	Liquid
Appearance	Green
Rinseability	Excellent
% VOC/HAP	0%
pH (use dilution)	approximately 12–12.5

Equipment Requirements

Total is safe for use with all standard cleaning equipment.

Product Make-Up

Total is a concentrated industrial floor cleaner. Dilute with water to achieve specified strength concentrations.

Concentration and Application Methods

Shop Floors & Other Hard Surface

MOP & BUCKET: For shop floor cleaning, add 10%–20% by volume of Total to a mop bucket filled with HOT clean water. Apply to the surface to be cleaned with mop or brush. Where soil deposits are heavy, let soak for 5 to 15 minutes and brush if possible. Follow with additional mopping or a thorough hose or high-pressure water rinse. For additional soil removal, wet-vacuum dry cleaned area.



Automatic Floor Scrubbers

AUTOMATIC FLOOR SCRUBBERS: For shop floor & hard surface cleaning, add 10%–20% by volume of Total to the already water filled solution tank. Adding Total to the tank after filling with water will diminish foam production. Hot water temperatures for most plastic-tanked scrubbers should not exceed 140° F. Where soil deposits are heavy, a double pass may be necessary. Rinse with clean water.

Companion Products

See Seacole's Janitorial, Restaurant, and Facility Maintenance product line.

Safety and Handling

Read and understand this products MSDS before handling.

Waste Treatment

Individual users should verify the nature of spent solutions to assure compliance with local, state, and federal regulations. Contact Seacole for specific details and/or further waste treatment recommendations.

Ordering Information

Total is available in 1-gallon bottles, 5 gallon pails, 55 gallon drums, and 275 gallon totes.

Customer Notice: Seacole strongly encourages its customers to review their manufacturing processes and their applications of Seacole products from the standpoint of human health and environmental quality to ensure that Seacole products are not used in ways for which they are not intended or tested. Seacole personnel are available to answer your questions and to provide reasonable technical support. Seacole product literature, including safety data sheets, should be consulted prior to use of Seacole products.



763-582-1140
800-966-2909

Copyright ©2018 Seacole-CRC, LLC. All rights reserved. All Seacole logos are registered trademarks of Seacole-CRC. All other marks are the property of their respective owners. The information and specifications in this data sheet are subject to change without notice. This product may be exported from the US only in accordance with the Export Administration Regulations established by the U.S. Department of Commerce, Bureau of Industry and Security.